




TETRODE LINEAR AMPLIFIER DESIGN IN 19" 3U RACK
HALF 483 x 132 mm FRONT PLATE LEFT PART

DATE: 03/2015 PAGE: 1/4
BY: F1FRV@SFR.FR
DOC Nr: AMATEUR RADIO REV: 0

FOR ALL HOLES, USE A PRINTED COPY OF THIS PAGE TO MARK HOLES CENTERS BEFORE DRILLING
CONFIGURE YOUR PRINTER TO NOT ADJUST SIZE TO PRINTER MARGINS, AND CHECK PRINTED RULERS

PLATE VOLTAGE

GRID CURRENT



66
51.5

26
52

8

30

8

110

165

185

205

260

TETRODE LINEAR AMPLIFIER DESIGN IN 19" 3U RACK

HALF 483 x 132 mm FRONT PLATE RIGHT PART

DATE: 03/2015


PAGE: 2/4

BY: F1FRV@SFR.FR

DOC N°: AMATEUR RADIO


REV: 2b

FOR ALL HOLES, USE A PRINTED COPY OF THIS PAGE TO MARK HOLES CENTERS BEFORE DRILLING
CONFIGURE YOUR PRINTER TO NOT ADJUST SIZE TO PRINTER MARGINS, AND CHECK PRINTED RULERS



TETRODE LINEAR AMPLIFIER DESIGN IN 19" 3U RACK
 HALF 433 x 120mm BACK PLATE LEFT PART

DATE: 03/2015 PAGE: 3/4
 BY: F1FRV@SFR.FR
 DOC Nr: AMATEUR RADIO REV: 0b



FOR ALL HOLES, USE A PRINTED COPY OF THIS PAGE TO MARK HOLES CENTERS BEFORE DRILLING
 CONFIGURE YOUR PRINTER TO NOT ADJUST SIZE TO PRINTER MARGINS, AND CHECK PRINTED RULERS

TETRODE LINEAR AMPLIFIER DESIGN IN 19" 3U RACK
 HALF 433 x 120 MM BACK PLATE RIGHT PART

DATE: 03/2015 PAGE: 4/4
 BY: F1FRV@SFR.FR
 DOC N°: AMATEUR RADIO REV: 0b

FOR ALL HOLES, USE A PRINTED COPY OF THIS PAGE TO MARK HOLES CENTERS BEFORE DRILLING
 CONFIGURE YOUR PRINTER TO NOT ADJUST SIZE TO PRINTER MARGINS, AND CHECK PRINTED RULERS

